

Tabors

OF SAN ANGELO

A
Custom Workroom
Catering to the Design Trade

Quality is Our Passion



DRAPERIES | BEDSPREADS | COMFORTERS | QUILTING | SHADES | VALANCES
SWAGS | JABOTS | TABLECLOTHS | HEADBOARDS | CORNICES | BENCHES | ACCESSORIES

Quality is Our Passion
and Our Guarantee

Our Guarantee

If we make a mistake, we will:

Immediately correct your order at no
additional charge, or

Pay the workroom of your choice
to re-work your order, or

Charge you nothing plus pay for your fabric.

There are many reasons why we can offer you this
guarantee: precision cutting, attention to details,
only quality threads & linings and
outstanding workmanship.

But, the primary reason is our people.

CONTENTS

Draperies	1-4
Swags, Jabots & Swag Valances	5
Rod Mounted Valances	6-7
Board Mounted Valances	8-9
Soft Fabric Shades	10-11
Quilted Bedding and Quilting Services	12-15
Bedspreads & Coverlets	14-15
Duvet Covers	14
Reversible Hand-Tied Comforters	14 & 16
Accessories (Pillows, Cushions, Table Linens, Benches)	18-19
Cornice Boards	19-20
Headboards	20-21

FOR PRICING CALL 1-800-328-8886

*Photo credits: Inside cover – Interior Design
by Gerald Tomlin ASID, Dallas, TX*

POLICIES & PROCEDURES

1. ESTABLISHING AN ACCOUNT:

Account application forms are available for download at www.taborsofsanangelo.com or call 1(800)328-8886 to have a form sent via fax or mail.

2. ORDERING:

A. A written work order is required. Orders will not be placed into the production schedule until ALL instructions and materials are received. **Work order forms are available for download at www.taborsofsanangelo.com or call 1(800)328-8886 to have a form sent via fax or mail.**

* WRITTEN OR VERBAL QUOTES WILL NOT BE USED AS A WORK ORDER.

B. The vendor/pattern/color/yardage of materials sent must be specified on all orders. Please provide a physical or digital swatch whenever possible. If the fabric does not have a printed selvage showing the correct side and the up/down of the fabric, mark the swatch. Otherwise, we will assume the correct side is rolled to the inside of the bolt; and that we should use our judgment as to which way is up.

C. Changes to existing orders must be in writing.

3. SHIPPING:

Inbound

- A.** Materials must be labeled with account name and PO#/sidemark.
- B.** Materials must be shipped to us prepaid.
- C.** There is a pressing charge for fabrics received wrinkled.
- D.** Fabrics rolled on a tube seldom wrinkle in shipment.

Outbound

- A.** We ship via UPS. Oversized packages will ship via motor freight FOB San Angelo, TX.
- B.** Indicate type of service with these details:
 - Ground, 3 Day Select, 2nd Day Air or Next Day Air.
 - Special shipping instructions.
 - Amount of insurance.

4. FABRIC FLAWS:

Tabors of San Angelo will not assume responsibility for customer's flawed fabric. It is the sole responsibility of the customer to verify fabric and inspect for flaws prior to our receiving the fabric. Flawed fabrics received in drop shipments are the responsibility of the customer and/or supplier.

5. SHEETS:

Fabrication from sheets always requires an additional charge for pressing and handling.

6. EXCESS MATERIALS:

Excess materials are returned unless otherwise specified.

7. REWORKS:


Reworks must be pre-approved. Please call us for approval before sending materials.

8. DISCLAIMER:


TABORS Incorporated reserves the right to change prices, fabrication techniques and/or discontinue the production of any product without notice.

Draperies


SELECT YOUR DRAPERY STYLE




PINCH PLEAT




EURO PLEAT




NATURAL PLEAT




CARTRIDGE PLEAT




INVERTED BOX PLEAT




GOBLET PLEAT




BUTTERFLY PLEAT




DIAMOND SMOCKED




PENCIL PLEAT



CUFF TOP




FLAT PANEL




RIPPLEFOLD




GROMMET TOP



TAB TOP




TIE TOP



ROD POCKET TOP



ROD POCKET - TOP & BOTTOM



HOURLASS WITH TIEBACK

Draperies

STANDARD SPECIFICATION

1. HEMS

Bottom Hems are 4" doubled, with color matched thread and either blind-stitched or lock-stitched, depending on the fabric.

- Bulky fabric may require a 4" single hem.

Side Hems are 1½", doubled, with color matched thread and either blind-stitched or lock-stitched, depending on the fabric.

Hand-sewn hems available at an **additional charge**.

2. FINISH WORK

Where side hems meet headers and bottom hems we hand sew using a hidden stitch for clean finished edges.

3. LINING

Lining is folded with the primary fabric at the headings, which leaves the primary fabric exposed on the back of the heading.

- hangs ¾" shorter than the drapery.
- can be faced to the top of the drapery upon request.
- can be pillow cased upon request.

4. LINING HEMS

Standard Lining – e.g., Rain-No-Stain, Sateen and Thermal Suede, has a 1½" top stitched double bottom hem.

Interlining – is serged at the bottom edge and is free hanging ½" shorter than the lining.

Blackout Lining – is serged at the bottom edge.

5. WEIGHTS

Covered lead weights are inserted in corners and at seams.

- Beaded Chain Weight available at an **additional charge**.

6. SEAMING

Widths/cuts of fabric are joined by serging with a safety and overlocking stitch unless the fabric dictates otherwise.

- Flat Felled Seams are available for an **additional charge**.

7. FULLNESS

Fullness is *increased* to the nearest width.

Comparable fullness – specify if fullness is to be exactly the same on draperies of different widths.

- 3 to 1 fullness is optimum.
- 2.5 to 1 fullness is standard.
- 2 to 1 fullness is minimum.

8. FABRIC DIRECTION

Fabric is sewn selva-ge-to-selva-ge.

9. SEAMLESS FABRICS (118" wide/railroaded)

Railroading – fabric turned sideways to use width as the length.

Finished length has limitations:

- **Pinch Pleated** – unlined, 4" doubled hems and headings yields 100" maximum length.
- **Rod Pocket** – unlined, 1 ½" pocket, 1" heading and 4" doubled hems yields 104" maximum length.

10. CALCULATING WIDTHS

A width is a cut of fabric, regardless of how wide it is. If a panel has a ½ width, it will be priced as a full width. Exception: Labor for wide fabrics (over 72") will be priced on a basis of 54" = 1 width.

11. THE MAXIMUM LENGTH WE WILL FABRICATE IS 246".

DRAPERY PRODUCTS

PLEATED DRAPERIES

Pinch Pleat – triple, double and single fold

Euro Pleat – triple, double and single fold

Natural Pleat – triple, double and single fold
(Pleat secured by tacking only,
not stitched down in back)

Cartridge Pleat (Max 2x fullness)

Inverted Box Pleat (Max 2x fullness)

Inverted Pinch Pleat

Butterfly Pleat – outer folds are tacked down

Goblet Pleat – hand tacked (Max 2 x fullness)

Pencil Pleat

Shirred

(2 cord or 4 cord shirring tape)

Diamond Smocked

ROD POCKET DRAPERIES

Top Pocket

Top and Bottom Pocket

Hourglass Panel with Tieback

FLAT PANEL DRAPERIES

Flat Panels

(specify – with or without buckram)

Grommet Top (specify grommet size)

Cuff Top

Ripplefold

(specify – fullness: 60%, 80%, 100% or
120% and master carrier: butt or overlap)

Hidden Tab

Tab Top (specify tab size)

Tie Top (specify tie size)

SHOWER CURTAIN

with Grommets or Button Holes

LININGS

Rain-No-Stain

Sateen – 100% Cotton

Thermal Suede

Blackout

Interlining

TIEBACK PRODUCTS

Straight

Bow-Knot

Curved

Shirred

Braided

Covered 1" Welt Cord

DRAPERY OPTIONS

- Interline Labor
- Trim/Fringe Machine-Sewn
specify placement
- Trim/Fringe Hand-Sewn
specify placement
- Banding:
specify size and placement
- Welting:
specify size – 1/4" 1/2" or 1"
and placement
- Flanges:
specify size and placement
- Ruffles:
double ruffle standard, single upon
request specify size and placement
- Attach Grommets:
specify #2 – 3/8" ID, #12 – 1 9/16" ID,
#15 – 2" ID or COM.
- Hand-Sewn Hidden Stitch Side Hems
or Bottom Hems
- Hand-Tacked Pleats
- Sew on COM Rings
- Sew on Buttons
- Beaded Chain Weights in Hem
- Custom Heading:
Altering buckram to other than 4"
- Cutouts
- Bottom Slants
- Top Slants:
Rod Pockets or Flat Panels ONLY
- Shaped Tab with Buttons
- Scalloped Top
- Even Pull Feature:
Controls Spacing of Drapes on
Poles and Rings
- Attach Valance
- Pleat to Pattern
- Flat Felled Seams
- Special Services:
Please contact customer service to
discuss custom options not listed.

TIEBACK OPTIONS

- 1/4" Welt
- Banding
- Ruffles
- Trim/Fringe
- Rosettes
- 1" Covered Button
- COM Buttons

Draperies



STANDARD SPECIFICATIONS

12. MATERIALS REQUIRING SPECIAL HANDLING/FABRICATION

When the workroom determines a product requires special handling and/or fabrication methods we will contact you with the specifics, provide an estimated cost for the additional services and request your approval before proceeding. The determination is made prior to the materials being cut and put into production. Unfortunately, special handling requirements are not always apparent until after fabrication has begun. In such cases, Tabors will bill accordingly for additional labor and/or material costs incurred.

13. DELICATES/BEADED/OPEN WEAVES

May require hand-sewn hems and/or a handling charge.

14. VELVETS

- Hems are hand-sewn and **billed accordingly**.
8" single bottom hems and 2" single side hems.
- Beaded chain weight will be added in bottom hems at an **additional charge**.
- 25% handling charge will be assessed.

15. PLAID/BURNOUT FABRICS

Woven/Printed Plaids and Burnout Fabrics cannot be pattern matched at top and bottom. Please specify preferred matching point.

16. CASEMENT FABRIC

Loosely woven casement fabric can be sensitive to atmospheric changes and will shrink and stretch in varying weather conditions. We cannot be responsible for these qualities, and suggest that casement fabric not be used when absolute evenness of a hem line is necessary. We do recommend that casement fabric be unlined only.

17. COMMERCIAL APPLICATIONS

Hems and headers machine finished for durability.

18. WRINKLE REMOVAL

Draperies are fan or seam folded and carefully packaged; however, due to transit handling, some creases and wrinkles will occur. Draperies should be hung as soon as possible upon receipt. Most wrinkles should "hang out" in a very short time. Should you desire to press draperies, follow the fabric manufactures recommendations.

PLEATED DRAPERIES

19. PLEATS

Draperies have three-fold pleats unless single-fold or double-fold pleats are specified.

- Clear monofilament thread is used to stitch down and tack pleats.
- Color matched thread is available upon request.
 - Stitch down: no additional charge.
 - Pleats: must be hand tacked at an **additional charge**.

20. HEADINGS

Headings are 4" doubled with heavyweight 4" Hovotex buckram.

- Bulky fabric will have a 4" single top heading.
- Sheers *must* have doubled headings.

21. RETURNS

Returns are 4". If you want a different size return please specify (minimum 1 1/2" to accommodate the side hem).

Continued on next page.

Draperies

STANDARD SPECIFICATIONS

21. OVERLAPS/LEADING EDGES

Overlaps/Leading Edges are 4". If you want a different size overlap/leading edge please specify (minimum 1 ½" to accommodate the side hem).

22. HOOK SETTING

Hook setting is the distance from top of hook to top of drapery

- Hooks set at 1 ½" unless otherwise specified.
- Rod style – Hook settings
 - a. White Utility Rod – 1 ½"
 - b. Decorator Rod – ½"
 - c. Rings – ½"

23. PLEATING

Comparable Fullness – specify if pleats and pleat spacing are to be exactly the same on draperies of different widths.

Pleat to Pattern – specify if Plaids/Stripes/Patterns are to be matched from pleat to pleat. The pattern must be symmetrical and ample fabric must be allowed to achieve the desired match. Not all fabrics can be pleated to pattern.

ROD POCKET DRAPERIES

24. POCKET SIZE

ROD	POCKET	TAKE-UP*
Oval Rod	1 ½"	¾"
1" Round	2"	1"
1 ⅜" Round	3"	1 ⅜"
2" Round	4 ½"	2"
2 ½" Continental	3 ½"	3/8"
4 ½" Continental	5 ½"	3/8"

25. HEADING – Specify size.

26. FINISHED LENGTH includes the rod pocket and header.


We DO NOT make allowances for take-up.

SHOWER CURTAINS

Fabricated with over-locked seams, weighted corners, and 1 ½" double side hems.

- Headings are available with button holes or 3/8" ID grommets in brass or nickel.
- Button holes and grommets are set to match standard 72" wide shower liners.

MEASURING WINDOWS



1. From left of window trim to nearest obstruction
2. Window opening width: inside at top, middle, and bottom
3. Molding to molding
4. Right of window to nearest obstruction
5. Ceiling to window opening
6. Window opening length: inside at left, right, and middle (for wide windows)
7. Top of molding to sill
8. Top of molding to bottom of sill apron
9. Top of molding to floor
10. Floor to ceiling (check at least two places)
11. Width of molding
12. Depth (or thickness) of molding trim and/or window
13. Any additional measurement pertaining to design of treatment



Photo & drawings
courtesy of Celia
Barrett Design,
Jackson, MS



Swags/Jabots/ Swag Valances

STANDARD SPECIFICATIONS

1. Mounted on a fabric covered pine dust board or on a tacking strip for mounting on site to your board or pole.
2. We DO NOT attach Velcro to tacking strips.
3. Tabors recommends that you furnish a sketch with your written order.

SWAGS

1. Swags are cut bias and lined with white cotton sateen. (Ivory available)
2. A single swag will cover 24" to 48".
3. Depths up to 20" will have 5 folds, depths of 20" to 24" will have 6 folds

JABOTS

1. Jabots are self or contrast lined.
2. Face width 8" to 12" with 4 equal folds.
3. Tapered 18"
4. Bottom of return is pointed

SWAG VALANCES

1. Constructed in cuts and pattern matched.
2. Cut selvage to selvage.
3. Swags are lined in white cotton sateen. (Ivory available)
4. Trumpets and returns have a facing strip.
5. Tails/Jabots are self or contrast lined.

YARDAGE CALCULATION FORMULA BASED ON 54" WIDE SOLID

SWAGS

(2 yards per swag)

- **For patterned fabrics:**
 $72" \div \text{vertical repeat} = \text{number of repeats (round up)}$
 $\times \text{repeat} = \text{cut length per swag}$


JABOTS

- **Finished length + 5"** working allowance = cut length for *each side* of jabot
- **For patterned fabrics:**
 $\text{Cut length} \div \text{vertical repeat} = \text{number of repeats (round up)}$
 $\times \text{repeat} = \text{cut length per each side of jabot}$


SWAG VALANCES

- Please contact customer service for a quote

SWAG & JABOT STYLES



Pleated Swag
with Jabots under Swag




Pole Mounted
Open Swags & Jabots
on Tacking Strips




3 Swags with Jabots
Over Swags


SWAG VALANCES



Austrian Swag
(with Shirr Tape)




Boxed Swag




Empire Swag



Kingston Swag



Murphy Valance
(Board mount only)



Victory Swag
(Pole Mount)

SWAGS/JABOTS/SWAG VALANCE PRODUCTS

SWAGS:

Pleated, Gathered or Open Style (on tacking strip)

JABOTS:

Pleated, Gathered, Stacked,
Handkerchief or Swirled
(Self-Lined or Contrast Lined)

SWAG VALANCES

Austrian Swag with Shirr Tape

Boxed Swags

Empire Swags

Kingston Swags

Murphy Valance:
(Board mount only)

Victory Swag Valance
(Pole mount only)

Throw Swags with Tapered Ends:
(Unmounted/unstructured)

SWAGS/JABOTS/SWAG VALANCE OPTIONS

- Interline Labor
- **Welting:** Specify 1/4", 1/2", and 1"
- **Ruffles:** Specify size and placement
- **Banding:** Specify size and placement
- **Flanges:** Specify size and placement
- **Trim/Fringe:** Specify placement
- Tails on Trumpeted Styles
- Side Legs on Boxed Styles
- Arched Top
- Center Rise
- Block Mounted
- Mitred for Corners or Bays
- Rosettes
- **Custom Designs:**
 Submit drawing or picture for consideration.
 Mock-up fee may apply.
- **Special Services:**
 Call customer service to discuss availability of options not listed.

Rod Mounted Valances

STANDARD SPECIFICATIONS

1. HEMS

Bottom hems are 3" doubled, sewn with color matched thread and, depending on the fabric, either blind-stitched or lock-stitched.

- Bulky fabric may require a 3" single hem.

Side hems are 1½" doubled, sewn with color matched thread and, depending on the fabric, either blind-stitched or lock-stitched.

Hand-sewn hems available at an *additional charge*.

2. SHAPED BOTTOMS

Shaped Bottoms are finished with a facing strip and blackout lined to prevent silhouetting.

3. LINING

Lining hangs ¾" shorter than the valance

- Optionally can be faced to the top of the valance upon request.
- Optionally can be pillow-cased upon request.

4. LINING HEMS

Standard lining Eg: Rain-No-Stain, Sateen and Thermal Suede has a 1½" top stitched double bottom hem.

Interlining is serged at the bottom edge and will be free hanging ½" shorter than the lining.

Blackout Lining is set even with the bottom edge of the valance then the hem is folded up and over the lining and blind stitched.

5. SEAMING

Widths are joined by serging with a safety and overlocking stitch unless the fabric dictates otherwise.

6. FULLNESS

The fullness is *increased* to the nearest width.

- 3 to 1 fullness is optimum.
- 2.5 to 1 fullness is standard.
- 2 to 1 fullness is minimum.

Comparable fullness

Specify if valances of different widths are to have exact same fullness.

7. FABRIC DIRECTION

Fabric is sewn selvage-to-selvage.

8. CALCULATING WIDTHS

A width is a cut of fabric, regardless of how wide it is. If a valance has a ½ width, it is priced as a full width. **Exception:** Labor for wide fabrics (over 72") or railroaded fabrics is priced on a basis of 54" = 1 width.

9. MATERIALS REQUIRING SPECIAL HANDLING/FABRICATION

When the workroom determines a product requires special handling and/or fabrication methods, we will contact you with the specifics, provide an estimated cost for the additional services and request your approval before proceeding. The determination is made prior to the materials being put into production. Unfortunately, special handling requirements are not always apparent until after fabrication has begun. In such cases, Tabors will bill accordingly for additional labor and/or material costs incurred.

10. DELICATES/BEADED/OPEN WEAVES


These may require hand-sewn hems with associated *Additional Charges*.

11. VELVETS

Hems are hand sewn and billed accordingly. 3" single bottom hems and 2" single side hems.

- Beaded chain weights will be added to bottom hems if needed and billed accordingly.
- 25% handling charge will be assessed.

PLEATED VALANCE STYLES




Pinch-Pleated Straight Bottom




Pinch-Pleated Tapered Bottom

ROD POCKET VALANCE STYLES



Balloon Pouf




Double Balloon



Straight Bottom



Tapered Bottom



Tapered with Tails & Ruffles



Top & Bottom

See page 1 for additional heading styles

Rod Mounted Valances

STANDARD SPECIFICATIONS

PLEATED VALANCES

12. PLEATS

Valances have three-fold pleats unless single-fold or double-fold pleats are specified.

- Clear monofilament thread is used to stitch down and tack pleats.
- Color matched thread available upon request.
 - Stitch down: no additional charge.
 - Pleats: must be hand tacked at an additional charge.

13. HEADINGS

Headings are 4", doubled, with heavyweight 4" Hovotex buckram.

- Bulky fabric has a 4" single top heading.
- Sheers must have doubled headings.

14. RETURNS

Returns are 4". If a different size return is desired please specify (minimum 1½" to accommodate the side hem)

15. HOOK SETTING

The distance from top of hook to top of valance.

Rod Style – Hook Setting

- Standard White Rod—1½"
- Decorator Rod—½"
- Rings—½"

Hooks are set at 1½" unless otherwise specified.

16. PLEATING

Comparable fullness

Specify if pleat and pleat spacing are to be the same on valances of different widths.

Pleat to pattern

Specify if Plaids/Stripes/Patterns are to match from pleat to pleat. The pattern must be symmetrical and ample fabric allowed to achieve the desired match.

Not all fabrics can be pleated to pattern.

ROD POCKET VALANCES

17. POCKET SIZE

ROD	POCKET	TAKE-UP*
Oval Rod	1½"	¾"
1" Round	2"	1"
1¾" Round	3"	1¾"
2" Round	4½"	2"
2½" Continental	3½"	¾"
4½" Continental	5½"	¾"

- Rod diameter affects the finished length of valance.
- More fullness affects the take up.

18. HEADING: specify size if applicable.

19. FINISHED LENGTH includes the rod pocket and header. We DO NOT make allowances for take-up.

VALANCE PRODUCTS

PLEATED VALANCES

Pinch Pleat
(Triple, Double, or Single-Fold)

Euro Pleat
(Triple, Double, or Single-Fold)

Natural Pleat
(Triple, Double, or Single-Fold)

Cartridge Pleat

Inverted Box Pleat

Inverted Pinch Pleat

Butterfly Pleat

Goblet Pleat

Pencil Pleat

Shirred

Diamond Smocked

ROD POCKET VALANCES

Single Pocket Valance

Double Pocket
(Top only or Top and Bottom Pocket)

Balloon Pouf
(Single pouf or Double pouf)

FLAT PANEL VALANCES

Flat Panels
(specify with or without buckram)

Grommet Top

Tab Top

Tie Top

Hidden Tab

Delicate fabrics and Velvets require hand-sewn hems

VALANCE OPTIONS

- Interline Labor
- Shaped Bottom
- Tails
- Custom Heading:
Altering buckram to other than 4"
- Cutouts
- Sew on Rings
- Sew on Buttons
- Attach Grommets:
Specify #2–3/8" ID or #12–1 9/16" ID
- Shaped Tab with Buttons
- Beaded Weights in Hem
- Flanges:
Specify size and placement
- Scallop Top
- Trim/Fringe Machine Sewn:
Specify placement
- Trim/Fringe Hand-Sewn:
Specify placement
- Welting:
Specify size: 1/4" 1/2" or 1" and placement
- Ruffles:
Standard is double ruffled, single upon request, specify size and placement
- Banding:
Specify size and placement
- Hand-Sewn Hidden Stitch
Side Hems or Bottom Hems
- Hand-Tacked Pleats
- Pleat to Pattern
- Special Services:
Please contact customer service to discuss availability of options not listed.

Board Mounted Valances

STANDARD SPECIFICATIONS

1. **Mounted on** a 3½" x ¾" fabric covered board.
2. **Lined with** White Cotton Sateen lining (Ivory available)
3. **Blackout Lining** is used on ALL Valances with shaped bottoms (to eliminate silhouetting).
4. **Valances** come to you complete with mounting hardware.

YARDAGE CALCULATION FORMULA BASED ON 54" WIDE SOLID

- A. Finished width** × fullness **or** + working allowance ÷ fabric width = number of cuts (*round up*)
- B. Finished length** × fullness **or** + working allowance = cut length
- **For patterned fabrics:**
Cut length ÷ vertical repeat = number of repeats (*round up*) x vertical repeat = cut length.
- C. Number of cuts** × cut length ÷ 36" = yardage required

FULLNESS/WORKING ALLOWANCE:

Shirred Balloon Valance

Width: 2½ or 3 times fullness
Length: 30" working allowance

Austrian Valance

Width: 1½ times fullness
Length:
Sheers = 3 times fullness
Other fabric = 2½ times fullness

Inverted Pleated Balloon Valance

Width: 2½ or 3 times fullness
Length: 30" working allowance

Soft-Fold Valance

Width: + 6" for hems
Length: 2½ times fullness

Box Pleated Valance

Width: 3 times fullness
Length: 12" working allowance

Stagecoach Valance

Width: + 6" for hems
Length: 30" working allowance

Kick Pleated Valance

Width: 1½ times fullness
Length: 12" working allowance

Flat Roman Valance

Width: + 6" for hems
Length: 30" working allowance

Relaxed Roman Valance

Width: + 6" for hems
Length: 30" working allowance

Flat Valance

Width: + 6" for hems
Length: 12" working allowance

Waterfall Valance

Width: 2½ or 3 times fullness
Length: 12" working allowance


Flag Valance

Call for quote

BOARD MOUNTED VALANCE STYLES




Flat Roman




Box Pleated




Flag




Flat




Austrian



Gathered Waterfall
(Shown with shaped bottom)




Inverted Pleated Balloon




Kick Pleated




Relaxed Roman




Sheffield



Shirred Balloon



Soft Fold Roman



Stagecoach

BOARD MOUNTED VALANCE PRODUCTS

Flat Roman
Box Pleated
(Approx. 8 to 12" faces)
Flag
Flat
Austrian
Gathered Waterfall
Inverted Pleated Balloon
Kick Pleated
Relaxed Roman
Sheffield
Shirred Balloon
Soft Fold Roman
Stagecoach
(Rolled Bottom with Ties)

BOARD MOUNTED VALANCE OPTIONS

- **Interline Labor**
- **Shaped/Tapered Bottom:**
Additional fabric may be required
- **Tails:** Gathered or pleated
- **Welt:**
Specify ¼", ½", or 1" and placement
- **Ruffles:**
Specify size and placement
- **Banding:**
Specify size and placement
- **Flange:**
Specify size and placement
- **Buttons:**
½" or 1" covered or COM
- **Lined Valances over 20" long**
- **Dog Ears**
- **Trim/Fringe:**
Specify placement
- **Contrast Pleats**
- **Make and Attach Ties/Straps**
- **Rosettes**
- **Arched Top**
- **Mitered for Corners or Bays**
- **Custom Designs:**
Submit drawing or picture for consideration.
Mock-up fee may apply.
- **Special Services:**
Call customer service to discuss availability of options not listed.

Soft Fabric Shades

STANDARD SPECIFICATIONS

1. **Mounted** on a 1 3/4" x 3/4" fabric covered board.
Also available on 3/4", 3 1/2", 5 1/2" and 7 1/2" boards.
2. **Lined** with White Cotton Sateen lining (Ivory available)
3. **Made Using** ANSI standard compliant encased lift cord shroud tape and cord locks with cord cleats.
4. **Cords right.**
5. **Inside mount shades** will be made 1/4" smaller on each side (1/2" total) with no returns.
6. **Outside mount shades** will be the exact width ordered.
7. **Shades come complete** with mounting hardware.
8. **Multiple shades** of differing heights will be pattern matched at the top of the shades.
9. **Flat and Soft Fold Roman Shades** do not have fabric returns so, we recommend a valance or end flaps on outside mount shades to hide the lift system.
10. **Austrian Shades** will be unlined unless otherwise specified.
11. **Austrian Shades** tend to "hour-glass" in on the sides. They are not recommended for inside mount unless there are drapery side panels covering the edges.
12. **Sheers and casements** are usually unsatisfactory for Roman Shades.
It is suggested that the designer consider the alternatives to these fabric.

YARDAGE CALCULATION FORMULA BASED ON 54" WIDE SOLID.

A. Finished width x fullness **or** + working allowance ÷ fabric width = number of cuts (*round up*)

B. Finished length x fullness **or** + working allowance = cut length
• For patterned fabrics, cut length ÷ vertical repeat = # of repeats (*round up*) x repeat = cut length

C. Number of cuts x cut length ÷ 36" = yardage required

FULLNESS/WORKING ALLOWANCE:

Flat Roman:

Width: + 6" for hems

Length: + 10" working allowance

Soft-Fold Roman:

Width: + 6" for hems

Length: 2 1/2 times fullness

Shirred Balloon:

Width: 2 1/2 or 3 times fullness

Length: + 30" working allowance

Inverted Pleated Balloon:

Width: 2 1/2 or 3 times fullness

Length: 30" working allowance

Austrian Valance:

Width: 1 1/2 times fullness

Length: Sheers = 3 times fullness
Other fabric = 2 1/2 times fullness

Relaxed Roman:

Width: + 6" for hems


Length: 30" working allowance

London:


Width: 1 1/2 times fullness

Length: 30" working allowance


SOFT FABRIC SHADES STYLES




Flat Roman




Inverted Pleated Balloon



London
(shown with optional Dog Ears)




Relaxed Roman



Shirred Balloon



Soft Fold Roman



Austrian

FABRIC SHADE PRODUCTS

Flat Roman
Inverted Pleated Balloon
London
Relaxed Roman
Shirred Balloon
Soft Fold Roman
Austrian

FABRIC SHADE OPTIONS

- **Interline Labor**
- **Welt:** Specify 1/4", 1/2", or 1" and placement
- **Ruffles:** Specify size and placement
- **Banding:** Specify size and placement
- **Flange:** Specify size and placement
- **Trim/Fringe:** Specify placement
- **Buttons**
- **Dog Ears**
- **Contrast Pleats**
- **Valance Straight Bottom**
- **Valance Shaped Bottom**
- **End Flaps on outside mount Roman Styles**
- **Attach COM Clutch System**
- **Arched Top**
- **Slant Top**
- **Custom Designs:**
Submit drawing or picture for consideration.
Mock-up fee may apply.
- **Special Services:**
Please call customer service to discuss availability of options not listed.



IMPORTANT SHADE SAFETY INFORMATION

As you may know, window shades containing cords can pose a home hazard, especially for young children and pets. Though manufacturing guidelines have been in place for over ten years to help prevent injuries, some accidents have continued to occur. Late in 2009, the U.S. Consumer Product Safety Commission (CPSC), working with the industry group, Window Covering Manufacturers Association (WCMA), announced a plan to improve the manufacturing standards for corded window treatments. On September 3, 2010 the 2nd Provisional American National Standard for Safety of Corded Window Covering Products ANSI/WCMA A100.1-2010(PS2) Revision of Provisional ANSI/WCMA A100-1-2009 was approved. The new standards became effective December 3, 2010. For more information or to purchase a downloadable copy for this document, contact WCMA on their website at <http://wcmanet.org/>

Tabors of San Angelo will manufacture all shades using ANSI standard compliant encased lift cord shroud tape and cord locks with cord cleats so they will meet or exceed the new standards.

If you are concerned about the safety of any of your existing shades, whether provided by Tabors or others, detailed information is available from the Window Covering Safety Council on their website <http://www.windowcoverings.org>. Free retrofit kits are also available from the WCSC through their website or by calling 800-506-4636.

Quilted Bedding & Quilting Services

CUSTOM HAND-GUIDED OUTLINE QUILTING



100 - Standard Outline



101 - Detailed Quilting
Add 25% additional charge



120 - Hand-Guided Squares
(Specify Size)



130 - Hand-Guided Diamonds
(Specify Length & Width)



140 - Hand-Guided Channel
(Specify Channel Width)



150 - Hand-Guided Vermicelli

CUSTOM TWIN-LINE MACHINE QUILTING



213 - Shirley



301 - Ruth



309 - Oveta



340 - Laura



514 - Marilyn



600 - Channel




770 - Jane




772 - Merle

Quilted Bedding and Quilting Services



**Custom Hand-Guided
Outline Quilting**



**Custom Twin-Line
Machine Quilting**

Our loom patterns #600 "Channel" and #309 "Oveta" have some limitations.

1. Channel and Oveta are not suitable for fitted spreads. The channels "grow" slightly and this is unacceptable on fitted styles.

2. Channel and Oveta cannot be used if there is a vertical stripe pattern. Fabric tends to "sway" as it goes through the loom quilter and the slight difference in the print lines and the quilt pattern is objectionable

STANDARD SPECIFICATIONS

1. CUSTOM HAND-GUIDED OUTLINE QUILTING:

A single-needle lockstitch outline quilter uses two cotton top threads.

- The top thread is matched to the fabric background color. An alternate thread color can be specified at **no additional charge**.
- White thread is used on the lining side.
- Lined in White (standard) or Ivory 100% cotton sateen.
- 11 oz. (standard), 7 oz., or 3 oz. bonded polyester fiber fill.
- Fabric is seamed before quilting.
- Open area between quilt lines is approximately 6" (a hand span).
- Detailed quilting (quilt line closer than 6") is available at an **additional charge**.
- 4" spacing is the minimum available on Hand-Guided squares, diamonds and channels.
- Loft is largely determined by the size of the open spaces. For example, 8" squares are much loftier than 4" squares.
- When QUILTING ONLY, the widths/lengths must be 4 yards or less.
- Should the customer cut and seam their own fabric, use a double-sewn flat seam that is pressed open. The quilt top should be 10% longer and 10% wider than the desired finished unhemmed size.

2. CUSTOM TWIN-LINE MACHINE QUILTING:

We use a multi-needle lockstitch quilting machine.

- WHITE NYLON THREAD ONLY (we do not use plastic monofilament)
Thread cannot be color matched.
- White Rockland Mills Quilteze lining only.
- 11 oz. (standard) or 7 oz. bonded polyester fiber fill.
- Fabric will be quilted first then serged with seams visible on the back.
- DO NOT CUT OR SEW FABRICS TOGETHER!
- Fabrics must be in one piece and rolled on a tube.
- Fabric can be quilted in widths up to 56".
- Not suitable for pre-seamed or irregularly sized pieces.
- Prints will be matched by pattern after quilting if possible.
- Solids will be matched by quilting design.
- Not suitable for velvets, suedes, flocks or painted fabrics; however, these items can usually be outline quilted.

3. FILL WEIGHTS

- a. 11-ounce high loft fill is standard.
- b. 7-ounce for medium weight
- c. 3-ounce light weight (Available on Outline/Hand-Guided Quilting only)
- d. 7-ounce fill plus 1/4" foam for upholstery quilting (Available on Outline/Hand-Guided Quilting only).

Continued on next page.

4. FINISHED BED MEASUREMENTS

(width of mattress x length of mattress x drop)

The standard measurements listed will be used if no measurements are provided. All spreads/coverlets will have a 22-inch pillow tuck.

5. MACHINE QUILTED TWIN THROWS

Since twin beds are 39" wide, you must specify whether you want the fabric seamed at the mattress edge or at the fabric selvage. Patterned fabrics seamed at the mattress edge usually will not pattern match, so consider using welt cord in the seams. Outline quilting is an alternative.

6. FITTED SPREADS/COVERLETS

Spread and coverlet side drops are railroaded. Drops can also be seamed selvage to selvage. Machine quilting in Channel and Oveta patterns is not suitable for fitted spreads or stripe fabrics.

7. STANDARD MEASUREMENT

We will use the following sizes if no measurements are provided.

	Bed Size	Spread Drop	Spread Size	Coverlet Drop	Coverlet Size	Pillow Size
Twin	39 x 75	21	81 x 118	13	65 x 110	20 x 26
Full	54 x 75	21	96 x 118	13	80 x 110	20 x 26
Queen	60 x 80	21	102 x 123	13	86 x 115	20 x 30
King	78 x 80	21	120 x 123	13	104 x 115	20 x 36
Cal King	72 x 84	21	114 x 127	13	98 x 119	

QUILTING ONLY—NO FABRICATION INVOLVED

(Includes lining, fill and quilting)

- Twin Line Machine Quilting (Do not cut or sew together)
- Hand-Guided/Outline Quilting (Please cut into lengths of 4 yards or less)
- Upholstery Quilting (7 oz. fill, plus 1/4" foam) (Available on outline quilting only)
- There is a **Seaming Charge** for Quilting Only

REVERSIBLE HAND-TIED COMFORTERS

- **FILL**
 - 12 oz, polyester fill has an unbonded center so it is soft and fluffy. The outer surfaces are bonded so the fill will not migrate.
 - Bonded fiber fill is also available in 11 oz., 7 oz., and 3 oz.
- **TIES**
 - Hand-tied in 12" blocks with #5 cotton Perle thread.
 - The #5 size is sufficiently heavy so it will not break or come loose.
 - Thread will match the fabric background color
- **CORNERS** – Square at the top and round at the foot.
- **VARIANCE** – Finished sizes will vary slightly depending on the weight and hand of the fabric.

TWIN	FULL	QUEEN	KING
65 x 88	80 x 88	86 x 93	104 x 93

• YARDAGE BASED ON SOLID 54" FABRIC.

TWIN	FULL	QUEEN	KING
5 ½ (each side)	5 ½ (each side)	5 ¾ (each side)	5 ¾ (each side)

- The yardage specified is for **one** side. The same amount is needed for each side.
- Patterned fabrics require this yardage PLUS 2 additional pattern repeats.
- Drops over 13" will require additional yardage

(See page 16 for options)

DUVET COVERS

Duvet Covers (Comforter Covers)

- Duvet Specifications
 - Self or Contrast lined
 - Buttons, Ties, Zippers or Velcro-closure at top
 - Pillowcased all sides except closure
 - Square corners
 - No pillow tuck

QUILTED & UNQUILTED BEDDING OPTIONS


- **Detail Outline Quilting:**
 - Open areas smaller than 6"
- **Welt on Hem:**
 - Specify size 1/4", 1/2", or 1"
- **Welt in Vertical Seams**
- **Shirred Welt on Hem:**
 - specify size 1/4" 1/2", or 1"
- **Flange on Hem:**
 - Specify size
- **Flange in Vertical Seams**
- **Ruffle on Hem:**
 - Specify size
- **Fringe/Trim on Hem**
- **Fringe/Trim in Vertical Seams**
- **Banding:**
 - Specify size and placement
- **Shirred Banding:**
 - Specify size and placement
- **Seamed Corners**
- **Split Corners:**
 - Indicate size
- **Cut-Out Corners and Insert Gussets**
- **Reverse Sham 36"**
- **Scalloped Edges with ¼" Welt Cord**
- **Lace or Sheer Overlay**
- **Fabric Inset**
- **Pillowcase Decorative Fabric to Back of Quilted Throw Spreads/Coverlets**
- **4th Side Fitted Drop:**
 - Studio/Day Beds
- **Huggy Style Throw Coverlet:**
 - Similar to a Fitted Sheet, elastic in all 4 corners
- **Interline Labor**
- **Pressing Charge**
- **Fabricate from Sheets**
- **Round Bedspreads**
- **Special Services:**
 - Please call customer service to discuss availability of options not listed.

SPREAD & COVERLET STYLES

QUILTED / UNQUILTED


Style A / UCA

No welt at mattress edge.




Style B / UCB

Mattress edge is welted.




Style C / USC

No welt at mattress edge.




Style D / USD

Mattress edge is welted.




Style E / USE

Mattress edge is welted.



Style W / USW

No welt at mattress edge.



Spread & Coverlet Styles

Tabor's
INCORPORATED

STANDARD SPECIFICATIONS

YARDAGE REQUIREMENTS

- All Spreads and Coverlets will have:
 - 2" blind-stitched hems
 - 22" pillow tuck
- Yardage based on solid 54" fabric.
 - Patterned fabrics require this yardage PLUS 2 additional pattern repeats.

Style A / UCA

THROW COVERLET – drop up to 14"

Straight drop and rounded/bell corners at foot.

Available unquilted

Twin	Full	Queen	King
7 ½	7 ½	8	11

Style B / UCB

FITTED COVERLET – drop up to 14"

Straight drop, gusset corners at foot of bed and welt at mattress edge.

Twin	Full	Queen	King
8	8	8 ½	11 ½

Style C / USC

THROW SPREAD – drop up to 22"

Straight drop and rounded/bell corners at foot.

Available unquilted

Twin	Full	Queen	King
8 ½	8 ½	12 ½	12 ½

Style D / USD

FITTED SPREAD – drop up to 22"

Straight drop, gusset corners at foot of bed and welt at mattress edge.

Twin	Full	Queen	King
8 ½	12	13	13

Style E / USE

QUILTED TOP GATHERED DROP – drop up to 22"

A bedspread or coverlet with gathered drop (2x fullness) and welt at mattress edge.

Available unquilted

Twin	Full	Queen	King
11	14	14	14

Style W / USW

WATERFALL FITTED – drop up to 22"

A bedspread or coverlet with a straight drop and fitted corners. Foot drop falls over the end of the bed. Side drops are wrapped behind foot drop and tacked down.

Twin	Full	Queen	King
8 ½	8 ½	12 ½	12 1/2

Continued on next page.

MEASURING FOR BEDDING

It is best to have on hand a metal tape measure, pins and someone to assist you.

Be sure to start measuring

the width and the drop from the same point.

Measure width and length


toward the middle of the mattress edge, measuring away from corners.

Measure the box springs

as well as they are often different in width and length from the mattress.

REVERSIBLE HAND-TIED COMFORTERS OPTIONS

- **Buttons:**
COM or Tabor 1" button covered with COM fabric
– 1 Side or 2 sides
- **Hand-Tied Bows – COM Ribbon:**
– 1 Side or 2 sides
- **Ruffle on Hem: Specify size**
- **Welt on Hem:**
Specify size 1/4", 1/2", or 1"
- **Welt in Vertical Seams**
- **Flange on Hem: Specify size**
- **Flange in Vertical Seams**
- **Ruffle on Hem:**
Specify size and whether doubled or single
- **Fringe/Trim on Hem**
- **Banding:**
Specify size and placement
- **Shirred Banding:**
Specify size and placement
- **Pillow Tuck**
- **Cotton Sateen Lining:**
White or Ivory on back side of Comforter
- **Ties or Buttons Closer than 12":**
– please specify
- **Special Services:**
Please call customer service to discuss availability of options not listed.




- A. Mattress Width _____
- B. Mattress Length _____
- C. Bedspread Drop _____
- D. Coverlet/Comforter Drop _____
- E. Dust Ruffle Drop _____
- F. Box Spring Width _____
- G. Box Spring Length _____


PILLOW SHAM PRODUCTS

- Boxed Edge
- Double-Ruffled Edge
- Flange Edge
- Knife Edge
- Turkish Corners
- Welt Cord Edge


PILLOW SHAM STYLES



Double Ruffled Edge



Flange Edge



Welt Cord Edge


DUST RUFFLE PRODUCTS

- DR1 Kick Pleat
- DR2 Box Pleat
- DR3 Gathered
- DR4 Box Spring Cover

DUST RUFFLE STYLES




Kick Pleat



Box Pleat



Gathered



Box Spring Cover

PILLOW SHAM OPTIONS

- Closure Options:
Zipper, Velcro, Buttons or Ties
- Welt Cord between Ruffle or Flange and Face of Sham
- Pleated Ruffle
- Quilted Face
- Fabric Inset
- Welt Inset
- Fringe/Trim
- Shirred Welt
- Banding:
Specify size and placement
- Miter Face
- Interline Ruffle
- Additional Ruffle
- Envelope Style
- Knotted Welt Corners
- Shirred Sides
- Shirred Boxing
- Lace or Sheer Overlay
- Knife Edge Pillow Sham Insert:
Polyester fiber
- Knife Edge Pillow Sham Insert: Kapok
- Boxed Pillow Sham Insert:
Polyester fiber
- Boxed Pillow Sham Insert: Kapok
- Special Services:
Please call customer service to discuss availability of options not listed.

DUST RUFFLE OPTIONS

- Lined Drop
- Interline Labor
- Fabric Selvage to Selvage rather than Railroaded
- Split Corners
- Split Center of Foot Drop
- Split & Gusset Corners
- 4th Side Drop
- Additional Gathered Drop
- Banding:
Specify size and placement
- Welting:
¼", ½", or 1" specify size & placement
- Fringe/Trim:
Specify placement
- Ruffle:
Specify size and placement
- No Platform:
On tack strip with or without Velcro – specify size of tack strip and placement of Velcro
- Special Services:
Please call customer service to discuss availability of options not listed.

Pillow Shams and Dust Ruffles

Tabor's
INCORPORATED

STANDARD SPECIFICATIONS

PILLOW SHAMS

1. Split back with overlap opening.
2. Interior is fully lined with white lining.
3. Double-Ruffled Edge:
5" double-sided gathered ruffle.
4. Flange Edge:
3" padded flange with mitered corners.
5. Welted Edge:
specify welt size – ¼", ½" or 1"
6. Turkish Corner:
tucked corners, all edge styles available
7. Boxed Edge:
3" boxing all edge styles available (boxed insert recommended)

YARDAGE BASED ON SOLID 54" FABRIC.

	Double-Ruffled Edge	Flange Edge	Welt Cord Edge	Knife Edge	Turkish Corners	Boxed Corner Edge
Full/Queen/King	2 ½ ea.	2 ea.	1 ½ ea.	1 ½ ea.	1 ½ ea.	2 ea.
Euro	3 ea.	2 ½ ea.	2 ea.	2 ea.	2 ea.	2 ½ ea.

DUST RUFFLES

1. 4" dust band of dust ruffle fabric attached to 3 sides of platform edge
2. Platform made of white lining
3. 2" doubled blind stitched hems
4. Unlined
5. Solid fabrics will be railroaded.
6. Patterned and striped fabric will be sewn selvage to selvage and billed accordingly.
7. Kick Pleat Dust Ruffle:
pleats at corners and center of side and foot drops.
8. Box Pleat Dust Ruffle: 8" box pleats
9. Gathered Dust Ruffle:
gathered to 2 to 1 fullness
10. Box Spring Cover:
elastic in 4 corners like a fitted sheet with a 4" dust band and lining platform.

YARDAGE BASED ON SOLID 54" FABRIC

	Twin	Full	Queen	King
DR1 Kick Pleat	4 ½	5	5 ½	6
DR2 Box Pleat	8 ½	9	10	11
DR3 Gathered	6	6 ½	7	7 ½
DR4 Box Spring Cover	4	4	4 ½	4 ¾

Accessories

STANDARD SPECIFICATIONS

THROW PILLOWS/BOLSTERS

1. All inserts are made to order and have a lining cover.
2. Pillow/Neck Roll inserts are made from Kapok
3. Fiber fill inserts are available upon request.
4. Pillow/Neckroll permanently closed unless optional closure ordered.
5. Bolster inserts have a Dacron-wrapped foam core
6. Bolsters have a zipper closure.

CUSHIONS

1. All inserts are made to order.
2. Inserts have a Dacron wrapped foam core
3. Zipper closure

STYLES

- Boxed:** ¼" welt or knife edge
Knife Edge
Turkish: knife edge or ¼" welt

TABLECLOTHS

1. Lined white (standard) or ivory 100% cotton sateen
2. 2" self-facing strip finishes back side hem.

NAPKINS

1. 20" x 20": edges rolled and top stitched

UPHOLSTERED BENCHES/ OTTOMAN/POUF SEAT

1. Frames are constructed of wood and joints are glued and fastened with screws.
2. Tops of benches/ottomans are padded with three inches of high density polyurethane foam.
3. Pouf Seats are topped with an overstuffed, polyester covered foam pouf.
4. All exterior surfaces are wrapped with polyester fiberfill prior to upholstering.
5. The top perimeter edge of bench/ottoman is welted.
6. We will use our discretion as to whether fabric is railroaded or seamed selvage-to-selvage unless specified.
7. Shipped fully assembled.
8. Prices include cost of crating.
9. Standard sizes will ship via UPS. Larger sizes may have to ship via freight.

YARDAGE

Upholstered Bench, Ottoman or Pouf Seat: 3 yds.

THROW PILLOWS/ BOLSTERS PRODUCTS

Pillow Shapes

Round
Square
Rectangular
Neck Roll

Bolster Shapes

Round
Wedge

Pillow Styles

Knife Edge

Welted:

¼", ½" or 1" (Specify size)

Flanged:

(Specify size)

Ruffled:

Gathered double-ruffled
standard, single ruffle
upon request (Specify size)

Turkish Corners:

(Specify with or without welt)

Boxed:

(Specify size of boxing and with
or without welt)

Tootsie Roll:

(Neck Rolls/Round Bolsters)

THROW PILLOW/ BOLSTER OPTIONS

- Closure options:
Zipper, Velcro, Button or Tie
- Button Center
- Banding
- Shirred Welt
- Additional Ruffle
- Pleated Ruffle
- Shirred Sides
- Shirred Boxing
- Fabric Inset
- Welt Inset
- Trim Inset
- Knotted Corners
- Miter Face:
Specify front and/or back
- Envelope Closure
- Gathered Ends with Buttons:
Neck Rolls/Bolsters
- Quilted Cover:
Specify front and/or back
- Special Services:
Please call customer service
to discuss availability of
options not listed.

CUSHIONS PRODUCTS

Bench Cushions
Chair Cushions

CUSHION OPTIONS

- Ties:
Specify size and placement
- Banding
- Shirred Welt
- Pleated Ruffle
- Gathered Ruffle
- Fabric Inset
- Shirred Boxing
- Button Tufted:
specify button size –
½" or 1" and placement
- Quilted Cover:
Specify front and/or back
- Cut Outs
- Miter for Corner/Bay
- Special Services:
Please call customer service
to discuss availability of
options not listed.

TABLECLOTH PRODUCTS

Round
Square or Rectangular
Table Runners
Sink Skirt
Vanity Skirt

TABLECLOTHS OPTIONS


- Interline Labor
- Gathered Ruffle:
(specify size)
- Pleated Ruffle:
(specify size)
- Welt:
(specify size and placement)
- Fringe/Trim:
(specify placement)
- Shirred Welt:
(specify size)
- Banding:
(specify size and placement)
- Kick Pleat Fitted Drop
- Box Pleat Fitted Drop
- Gathered Fitted Drop
- Taper Ends of Runner
- Sew Tassel to Ends/Corners
- Special Services:
Please call customer service to discuss availability of options not listed.

UPHOLSTERED BENCH/ OTTOMAN/POUF SEAT PRODUCTS


Upholstered Padded Bench:
48"W x 15"D x 19"H

Upholstered Ottoman:
20"W x 20"D x 18"H

Pouf Seat:
20"W x 20"D x 18"H
(8" base, 10" pouf)




Pouf Seat



Bench

UPHOLSTERED BENCH/ OTTOMAN/POUF SEAT OPTIONS

- COM Fringe
- Non-standard Size
- Outline Quilt Cover:
Additional fabric required
- Welt around Pouf Seat
- Attach COM Nail heads
- Button Tuft Bench/Ottoman
- Casters on Ottoman/Pouf Seats
- Bench only options
 - Kick Pleat Skirt
 - Box Pleat Skirt
 - Gathered Skirt
 - Semi-attached Cushion
 - Banding/Trim on Bench Skirt
- Special Services:
Please call customer service to discuss availability of options not listed.



Ottoman

Cornice Boards

STANDARD SPECIFICATIONS

1. **Constructed** with a $\frac{3}{8}$ " plywood face, $\frac{3}{4}$ " dust board & side legs and 6" returns.
2. **Interior** is fully lined with white drapery lining.
3. **Exterior board face and returns** are padded with polyester fiber fill.
4. **Face fabric** is wrapped around to the inside.
5. **Bottom edge** finished with $\frac{1}{4}$ " welting or COM trim.
6. **Plain fabrics are railroaded:** patterned or directional fabrics are seamed selvage to selvage.
7. **Pattern placement:** we will use our judgement if not specified on the work order form.
8. **Crating** included in the cost of cornice.
9. **Shipping:** Packaged cornices less than 165" girth will ship via UPS. Packaged cornices exceeding 165" girth will ship via motor freight collect FOB San Angelo, Texas.

Interior cornice board dimensions will be less than exterior dimensions by $1\frac{1}{2}$ " in width, $\frac{3}{4}$ " in height and $\frac{1}{2}$ " in depth. **

YARDAGE CALCULATION FORMULA BASED ON A SOLID 54" WIDE FABRIC

Patterned or directional fabrics:

- A. **Finished width** + return (x2) + 4" working allowance \div fabric width = number of cuts (round up)
- B. **Finished length** + return + 4" working allowance + 5" for straight welt = cut length
 - **For patterned fabrics**, add one vertical pattern repeat for each cut of fabric involved.
- C. **Number of cuts** x cut length \div 36" = yardage required

Railroaded fabrics:

- **Finished width** + return (x2) + 4" working allowance \div 36 = yardage required
- For patterned fabrics, add one vertical pattern repeat for each cut of fabric involved.

Bias welting will require additional yardage.

Continued on next page.


CORNICE BOARD PRODUCTS



C1 Straight Bottom

Shirred with Cording Around Edges
(C1 only)

Pleated with Cording Around Edges
(C1 only)



C2



C3



C4

For Custom Designs
Please submit template or scale
drawing for consideration.

CORNICE BOARD OPTIONS

- End Jabots
- Center Jabot
- Cord or Trim Top Edge
- Welting Top Edge
- Flat Banding:
(Specify size and placement)
- Shirred Banding:
(Specify size and placement)
- Custom Designs:
(Drawing or template required)
- COM Nail Heads:
(Specify placement and spacing)
- Special Services:
Please call customer service
to discuss availability of
options not listed.

Upholstered Headboards

STANDARD SPECIFICATIONS

TWIN	FULL	QUEEN	KING
42 x 48	57 x 48	63 x 48	81 x 48

1. A **pine frame** is sandwiched between two 3/8" plywood faces, glued and fastened with screws.
2. **Face padded** with 1" foam and Dacron wrapped
3. **1/4" welt** around the perimeter
4. **Back upholstered** with drapery lining
5. **Legs upholstered** in the face fabric.
6. **48" High** (headboard 32", legs 16")
7. **Headboards** are made 3" wider than standard bed frames
(1 1/2" on each side).
8. **Print fabrics** will be placed selvage to selvage.
9. **Solid non-directional fabrics** will be railroaded.
10. **Legs** are unattached to avoid damage in transit. Upon receipt simply slide them on.
11. **Hardware** is provided to attach headboard to the bed frame (drill required for installation).
12. **Shipped** via motor freight collect FOB San Angelo, Texas.
You may call us for a freight estimate.


YARDAGE BASED ON SOLID 54" FABRIC.

Patterned fabrics require this yardage PLUS 2 additional pattern repeats.

TWIN	FULL	QUEEN	KING
2 1/2	3	3	3

CUSTOM DESIGNS:

Please submit template or scale drawing for consideration.



Drawing courtesy of
J. Mayfield Interior Design, Austin, TX

HEADBOARD PRODUCTS

Unquilted Padded
Outline Quilted Padded



HB1



HB2



HB3



HB4



HB5



HB6



HB7
Boxed
(shown with legs)

HEADBOARD OPTIONS

- Shirred Contour Roll
- Flat Contour Roll
- Jumbo Welt
- Shirred Jumbo Welt
- COM Nail Heads:
Specify placement & spacing
- Custom Design
- Height over 32" (not including legs)
- Button Tufted:
12" spacing (tighter spacing available for an additional charge)
- Wall Mounted
- Special Services:
Please call customer service to discuss availability of options not listed

Tabors
INCORPORATED



(l to r)

Angie Bale
Technical Design
Consultant/CSR

Kellie Dahl
Plant Manager

Lydy Kuulei Tabor
Owner/President

David Rios
Assistant Plant
Manager

Our Team

Tabors of San Angelo is a custom workroom born out of necessity. Tabors began business in 1976 as an interior design firm, but when suppliers could not meet their stringent quality and delivery requirements, they began fabricating their own products. Tabors' superior craftsmanship was quickly recognized by other design professionals who also desired quality products and services. Thus, one of our nation's largest custom workroom was born.

Over the years, we at Tabors have remained faithful to the integrity of our original idea and purpose. We maintain a strong desire to provide creative professionals with reliable, quality workmanship and outstanding service; providing superior products crafted under the watchful eyes and skillful hands of diligent employees who understand that attention to detail is an absolute priority in the design trade.

We look forward to serving your custom workroom needs.



Lydy in India



4816 KNICKERBOCKER ROAD
SAN ANGELO, TEXAS 76904-7515

PRSR STD
U.S. POSTAGE
PAID
TABORS

Draperies
Tiebacks
Shower Curtains
Swags and Jabots
Swag Valances
Rod Mounted Valances
Soft Fabric Shades

Board Mounted Valances
Quilting
Spreads/Coverlets
Hand-Tied Comforters
Duvet Covers
Pillow Shams
Dust Ruffles

Pillows
Bolsters
Cushions
Benches
Cornice boards
Headboards
Tablecloths

TABORS OF SAN ANGELO

4816 KNICKERBOCKER ROAD | SAN ANGELO, TEXAS 76904-7515 | 325.942.1696 | FAX 325.944.4653

FOR ASSISTANCE CALL 1.800.328.8886 OR EMAIL SALES@TABORSOFSANANGELO.COM

Tabors of San Angelo, Inc. does not accept custom orders by telephone: however, if you need assistance in preparing your written order, we will be glad to help. Dial the number above and a knowledgeable staff member will help you.

You must mail, fax or e-mail your custom order to Tabors before the order will be placed into production.

ORDER FORMS AVAILABLE ON-LINE AT WWW.TABORSOFSANANGELO.COM

1.800.328.8886 | WWW.TABORSOFSANANGELO.COM | CONNECT WITH US 